


## BML Nut

O-Lok® ORFS tube nut  
SAE 52M0110 ISO 8434-3 NA




Tube O.D.		Thread UN/UNF-2B T	B mm	C mm	G mm	Weight (steel) g/1 piece	O-Lok® Steel	O-Lok® Stainless Steel
mm	in.							
6	1/4	9/16-18	17	10.5	15	14	<b>4BMLS</b>	<b>4BMLSS</b>
8, 10	3/8	11/16-16	22	13.5	18	17	<b>6BMLS</b>	<b>6BMLSS</b>
12	1/2	13/16-16	24	16.6	20	29	<b>8BMLS</b>	<b>8BMLSS</b>
14, 15, 16	5/8	1-14	30	21.1	24	46	<b>10BMLS</b>	<b>10BMLSS</b>
18, 20	3/4	1 3/16-12	36	24.2	27	69	<b>12BMLS</b>	<b>12BMLSS</b>
22, 25	1	1 7/16-12	41	29.1	28	109	<b>16BMLS</b>	<b>16BMLSS</b>
28, 30, 32	1 1/4	1 11/16-12	50	36.0	28	126	<b>20BMLS</b>	<b>20BMLSS</b>
35, 38	1 1/2	2-12	60	44.0	28	195	<b>24BMLS</b>	<b>24BMLSS</b>
50	2	2 1/2-12	75	56.0	33	800	<b>32BMLS</b>	<b>32BMLSS</b>

Part numbers shown are part of our current manufacturing programme.  
Do not create drawings from these dimensions, they are subject to change and ISO manufacturing allowances.

## BL Nut

O-Lok® ORFS tube nut  
SAE 520110



Tube O.D.		Thread UN/UNF-2B T	B in.	C mm	G mm	Weight (steel) g/1 piece	O-Lok® Steel	O-Lok® Stainless Steel
mm	in.							
6	1/4	9/16-18	11/16	10.5	15	16	<b>4 BL-S</b>	<b>4 BL-SS</b>
8, 10	3/8	11/16-16	13/16	13.5	17	24	<b>6 BL-S</b>	<b>6 BL-SS</b>
12	1/2	13/16-16	15/16	16.6	21	37	<b>8 BL-S</b>	<b>8 BL-SS</b>
14, 15, 16	5/8	1-14	1 1/8	22.1	24	52	<b>10 BL-S</b>	<b>10 BL-SS</b>
18, 20	3/4	1 3/16-12	1 3/8	24.1	26	89	<b>12 BL-S</b>	<b>12 BL-SS</b>
22, 25	1	1 7/16-12	1 5/8	29.1	28	119	<b>16 BL-S</b>	<b>16 BL-SS</b>
28, 30, 32	1 1/4	1 11/16-12	1 7/8	36.0	28	132	<b>20 BL-S</b>	<b>20 BL-SS</b>
35, 38	1 1/2	2-12	2 1/4	44.0	28	220	<b>24 BL-S</b>	<b>24 BL-SS</b>
50	2	2 1/2-12	2 7/8	56.0	33	700	<b>32 BL-S</b>	<b>32 BL-SS</b>

Part numbers shown are part of our current manufacturing programme.  
Do not create drawings from these dimensions, they are subject to change and ISO manufacturing allowances.